

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
13 June 2002 (13.06.2002)

PCT

(10) International Publication Number  
**WO 02/45759 A2**

(51) International Patent Classification<sup>7</sup>: A61L 12/00

(21) International Application Number: PCT/US01/44022

(22) International Filing Date:  
14 November 2001 (14.11.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/731,553 7 December 2000 (07.12.2000) US

(71) Applicant: JOHNSON & JOHNSON VISION CARE,  
INC. [US/US]; 7500 Centurian Parkway, Suite 100, Jack-  
sonville, FL 32256 (US).

(72) Inventors: MOLOCK, Frank, F.; 1543 Wildfern Drive,  
Orange Park, FL 32703 (US). FORD, James, D.; 515 Nas-  
sau Court, Orange Park, FL 32003 (US). MAIDEN, Annie,  
C.; 1558 Hope Valley Drive, Jacksonville, FL 32221 (US).  
LOVE, Robert, N.; 563 Valley View Drive, Hyrum, UT  
84319 (US).

(74) Agents: JOHNSON, Philip, S. et al.; Johnson & Johnson,  
One Johnson & Johnson Plaza, New Brunswick, NJ 08933  
(US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,  
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA,  
ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
TG).

**Published:**

— without international search report and to be republished  
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: CONTACT LENS PACKAGING SOLUTIONS

(57) Abstract: The invention provides a packaging solution for use with hydrophobic contact lenses. The packaging solution of the invention substantially prevents adherence of the lenses to the packages' surfaces, thus preventing deformation or breakage of the lens.

WO 02/45759 A2

WO 02/45759

PCT/US01/44022

## CONTACT LENS PACKAGING SOLUTIONS

### Field of the Invention

This invention relates to packaging solutions for use with contact lenses. In particular, the invention provides packaging solutions for use with contact lenses made of hydrophobic materials.

### Background of the Invention

The use of contact lenses for correction of ocular refractive disorders is widespread due, in part, to the cosmetic appeal of contact lenses. Preferably, contact lenses are made of materials with high oxygen permeabilities, or oxygen permeabilities of about 10 Dk or greater. However, as a material's oxygen permeability increases, typically the material becomes increasingly hydrophobic.

When a contact lens made of a hydrophobic material comes in contact with another hydrophobic material, the lens' surface adheres to the material's surface. This is problematic in the packaging of the lenses because typical contact lens packaging materials are hydrophobic. Thus, the contact lens can adhere to the packaging material causing lens deformation or breakage.

20

### Description of the Invention and Preferred Embodiments.

The invention provides a packaging solution for contact lenses made of hydrophobic materials. In particular, the invention provides a packaging solution for contact lenses made of hydrophobic materials that substantially prevents adherence of the lenses to a package's surfaces.

25

In one embodiment, the invention provides a contact lens packaging solution comprising, consisting essentially of, and consisting of between about 0.1 and about 250 ppm of a surfactant, preferably 0.1 to about 40 ppm, more preferably about 1 to about 40 ppm, wherein the surfactant has a hydrophile-lipophile balance of about 10

30

WO 02/45759

PCT/US01/44022

to about 30. It is an unexpected discovery of the invention that the use of very small amounts of certain surfactants in a lens packaging solution substantially prevents adherence of the hydrophobic lens to a package surfaces substantially eliminating  
5 breakage or deformation of the lens in the package.

For purposes of the invention, by "hydrophobic lens" is a lens made from at least one hydrophobic monomer. The packaging solutions of the invention may find particular utility when used for the storage of non-ionic lenses. Lenses for use with  
10 the solutions of the invention may be made from aquafilcon, alphafilcon, atafilcon, etafilcon, bulifilcon, lenefilcon, lidifilcon, lotrafilcon, methafilcon, ocufilcon, perfilcon, phemfilcon, vilifilcon, Saufon, Hydron, and the like, and combinations thereof. Preferably, the lens is an aquafilcon or lenefilcon lens.

15 The surfactants suitable for use in the invention are of any suitable molecular weight, preferably about 200 to about 1,000,000, more preferably about 10,000 to about 18,000, most preferably about 12,000 to about 18,000. Useful surfactants have a hydrophile-lipophile balance ("HLB") of about 10 to about 30, preferably about 15 to about 25, more preferably about 18 to about 23.

20

Any of the known surfactants fitting the aforementioned criteria may be used in the solution of the invention provided that the surfactant is compatible, in terms of solubility, in the solution with which it is used. Thus, suitable surfactants include, without limitation, cationic, ionic, non-ionic surfactants, and combinations thereof.

25 However, the use of a lens packaging solution containing cationic and ionic surfactants may cause eye irritation. Therefore, preferably the surfactant is a non-ionic surfactant.

30

WO 02/45759

PCT/US01/44022

Suitable non-ionic surfactants for use in the invention include, without limitation, polyethylene glycol esters of fatty acids, such as polysorbate 20, 60 or 80, all available as TWEEN® surfactants, alkanolamides, amine oxides, ethoxylated alcohols and acids, and surfactants having one or more poly(oxyalkylene) chains, such as poloxamine or poloxamer surfactants, and the like, and combinations thereof. Preferably, the surfactant is a polysorbate or poloxamer surfactant. Poloxamer surfactants are commercially available under the name PLURONIC® that are polyoxyethylene – polyoxypropylene non-ionic surfactants having polyoxyethyl hydrophilic group ends that make up about 10 to about 80 percent by weight of the molecule. Although any of the PLURONIC® surfactants are preferred, particularly preferred for use in the invention is PLURONIC® 127, which is about 70 percent by weight ethylene oxide and has a molecular weight of about 12,000 to about 15,000.

The surfactant may be combined with any known active and carrier components useful for lens packaging solution. Suitable active ingredients for lens packaging solutions include, without limitation, antibacterial agents, anti-dryness agents, such as polyvinyl alcohol, polyvinylpyrrolidone, and dextran, tonicity agents, and the like, and combinations thereof.

The packaging solution may be any water-based solution that is used for the storage of contact lenses. Typical solutions include, without limitation, saline solutions, other buffered solutions, and deionized water. The preferred aqueous solution is saline solution containing salts including, without limitation, sodium chloride, sodium borate, sodium phosphate, sodium hydrogenphosphate, sodium dihydrogenphosphate, or the corresponding potassium salts of the same. These ingredients are generally combined to form buffered solutions that include an acid and its conjugate base, so that addition of acids and bases cause only a relatively small

change in pH. The buffered solutions may additionally include 2-(N-morpholino)ethanesulfonic acid (MES), sodium hydroxide, 2,2-

WO 02/45759

PCT/US01/44022

bis(hydroxymethyl)-2,2',2''-nitrilotriethanol, n-tris(hydroxymethyl)methyl-2-aminoethanesulfonic acid, citric acid, sodium citrate, sodium carbonate, sodium bicarbonate, acetic acid, sodium acetate, and the like and combinations thereof. Preferably, the solution is a borate buffered or phosphate buffered saline solution.

5

To form the packaging solution, the surfactant along with any additional ingredients are combined with the water-based solution, stirred, and dissolved. The pH of the solution preferably is adjusted to about 6.2 to about 7.5. The lens to be stored in the packaging solution of the invention is immersed in the solution and the solution and lens placed in the package in which the lens is to be stored.

10 Alternatively, the solution may be placed into the package and the lens then placed into the solution. Typically, the package is then sealed by any convenient method, such as by heat sealing, and undergoes a suitable sterilization procedure.

WO 02/45759

PCT/US01/44022

What is claimed is:

- 5 1. A contact lens packaging solution comprising about 0.1 and about 250 ppm of a surfactant selected from the group consisting of a polyethylene glycol ester of a fatty acid, an alkanolamide, an amine oxide, an ethoxylated alcohol, an ethoxylated acid, and combinations thereof, wherein the surfactant has a hydrophile-lipophile balance of about 10 to about 30.
- 10 2. The solution of claim 1, wherein the surfactant is a polyethylene glycol ester of a fatty acid.
3. The solution of claim 1, wherein the surfactant is a polysorbate.
- 15 4. A contact lens packaging solution comprising about 0.1 to about 40 ppm of a surfactant having one or more poly(oxyalkylene) chains, wherein the surfactant has a hydrophile-lipophile balance of about 10 to about 30.
- 20 5. The solution of claim 4, wherein the non-ionic surfactant is a poloxamine surfactant, a poloxamer surfactant, or a combination thereof.
6. The solution of claim 4, wherein the surfactant is a poloxamer surfactant.
- 25 7. The solution of claim 6, wherein the poloxamer surfactant is a polyoxyethylene – polyoxypropylene non-ionic surfactant having polyoxyethyl hydrophilic group ends that make up about 10 to about 80 percent by weight of the molecule.

30

WO 02/45759

PCT/US01/44022

8. The solution of claim 7, wherein the non-ionic surfactant is about 70 percent by weight ethylene oxide and has a molecular weight of about 12,000 to about 15,0000.
- 5
9. A method for storing a hydrophobic contact lens, comprising the step of immersing the lens for storage in a packaging solution comprising about 0.1 and about 250 ppm of a surfactant selected from the group consisting of a polyethylene glycol ester of a fatty acid, an alkanolamide, an amine oxide, an ethoxylated alcohol, 10 an ethoxylated acid, and combinations thereof, wherein the surfactant has a hydrophile-lipophile balance of about 10 to about 30.
- 10
10. The solution of claim 9, wherein the surfactant is a polyethylene glycol ester of a fatty acid.
- 15
11. The solution of claim 10, wherein the surfactant is a polysorbate.
12. A method for storing a hydrophobic contact lens, comprising the step of immersing the lens for storage in a packaging solution comprising about 0.1 to about 20 40 ppm of a surfactant having one or more poly(oxyalkylene) chains, wherein the surfactant has a hydrophile-lipophile balance of about 10 to about 30.
13. The method of claim 12, wherein the surfactant is a poloxamine surfactant, a poloxamer surfactant, or a combination thereof.

WO 02/45759

PCT/US01/44022

14. The method of claim 12, wherein the surfactant is a poloxamer surfactant.
15. The method of claim 14, wherein the poloxamer surfactant is a  
5 polyoxyethylene – polyoxypropylene non-ionic surfactant having polyoxyethyl  
hydrophilic group ends that make up about 10 to about 80 percent by weight of the  
molecule.
16. The method of claim 15, wherein the surfactant is about 70 percent by weight  
10 ethylene oxide and has a molecular weight of about 12,000 to about 15,0000.